ELSEVIER

Toxicology 143 (2000) 299–301

TOXICOLOGY

www.elsevier.com/locate/toxicol

Contents of volume 143

Special Issue

BIOLOGICAL MONITORING OF PESTICIDE EXPOSURE: A REVIEW

Guest Editors:
Dr Marco Maroni
Dr Claudio Colosio
Dr Adalberto Ferioli
Dr Antonella Fait

Preface 1
Summary 3
Introduction 5
1. Organophosphorous pesticides 9
  1.1. Biomarkers of effects 10
  1.2. Biomarkers of internal dose 17
  1.3. Individual compounds 19
2. Carbamate pesticides. 39
  2.1. Biomarkers of effects 39
  2.2. Biomarkers of internal dose 40
  2.3. Individual compounds 41
3. Dithiocarbamate pesticides 47
  3.1. Biomarkers of internal dose 48
  3.2. Individual compounds 49
4. Synthetic pyrethroids 53
  4.1. Biomarkers of internal dose 54
  4.2. Individual compounds 54
5. Organochlorine pesticides 61
  5.1. Biomarkers of internal dose 61
  5.2. Biomarkers of effects 64
  5.3. Individual compounds 64
6. Phenoxyacetate herbicides 77
  6.1. Biomarkers of internal dose 77
  6.2. Individual compounds 78
7. Quaternary ammonium compounds 85
  7.1. Biomarkers of internal dose 85
  7.2. Individual compounds 86

8. Coumarin rodenticides . . . 91
8.1. Biomarkers of effects . . . 92
8.2. Biomarkers of internal dose . . . 93
8.3. Individual compounds . . . 93
9. Miscellaneous pesticides . . . 97
9.1. Atrazine and chlorotriazine compounds . . . 97
9.2. Other chlorotriazine compounds . . . 100
9.3. Dinitro-o-cresol (DNOC) . . . 100
9.4. Pentachlorophenol . . . 101
Acknowledgements . . . 103
Appendix A. Glossary . . . 105
References . . . 107

Analytical index 119

Articles

Detection of beryllium sensitivity using a flow cytometric lymphocyte proliferation test: the Immuno-Be-LPT
A new marker for the detection of chronic beryllium disease in humans has ben developed
G.M. Farris, L.S. Newman, E.L. Frome, Y. Shou, E. Barker, R.C. Habbersett, L. Maier, H.N. Smith, B.L. Marrone (USA) . . . 125–140
Allergen-triggered airway hyperresponsiveness and lung pathology in mice sensitized with the biopesticide *Metarhizium anisopliae*
The cytokine profile revealed a Th2-type response
M.D.W. Ward, S.L. Madison, D.M. Sailstad, S.H. Gavett, M.J.K. Selgrade (USA) . . . 141–154
Dose-dependent effects on tissue distribution and metabolism of dimethylarsinic acid in the mouse after intravenous administration
The dimethylarsinic acid was longer retained in the lung than in other tissues
M.F. Hughes, L.M. Del Razo, E.M. Kenyon (USA) . . . 155–166
Stimulated pulmonary cell hyperplasia underlies resistance to α-naphthylthiourea
A possible mechanism
C.C. Barton, T.J. Bucci, L.G. Lomax, A.G. Warbritton, H.M. Mehendale (USA) . . . 167–181
Tolerance to fumonisin toxicity in a mouse strain lacking the P75 tumor necrosis factor receptor
The role of the receptor in hepatotoicity is explored
R.P. Sharma, N. Bhandari, R.T. Riley, K.A. Voss, F.I. Meredith (USA) . . . 183–194
Inhibition of gap-junctional-intercellular communication in thyroid-follicular cells by propylthiouracil and low iodine diet
Hypothyroid treatment increased both cell proliferation and apoptosis
K.L. Kolaja, J.S. Petrick, C.D. Klaassen (USA) . . . 195–202
Relationship between blood/air partition coefficients of lipophilic organic solvents and blood triglyceride levels
Diet has no influence on the blood/air partition coefficients of organic solvents
T. Kaneko, P.-Y. Wang, A. Sato (Japan) . . . 203–208

Review

Overcoming the pitfalls of Web search engines — *Toxicology Abstracts*
Tools are beoming available to improve toxicology Web searching efficiency
R. Gardner, F. Spangler (USA) . . . 209–217

Articles

The influence of thymoquinone on doxorubicin-induced hyperlipidemic nephropathy in rats
This constituent of a plant oil attenuates the nephrotoxic effects of doxorubicin
O.A. Badary, A.B. Abdel-Naim, M.H. Abdel-Wahab, F.M.A. Hamada (Egypt) . . . 219–226
Differential calcium transport disturbances in renal membrane vesicles after cadmium–met-allothionein injectionin rats
Intracellular calcium accumulation maybe important in tubular nephrotoxicity
P.E. Leffler, T. Jin, G.F. Nordberg (Sweden) . . . 227–234
Beryllium-stimulated production of tumor necrosis factor-α by a mouse hybrid macrophage cell line
The pathway by which Be stimulates TNF-α may be different from the one of lipopolysaccharide
R.T. Sawyer, L.A. Kittle, H. Hamada, L.S. Newman, P.A. Campbell (USA) . . . 235–247

Beryllium-stimulation does not activate transcription factors in a mouse hybrid macrophage cell line
Be appears to up-regulate cytokine synthesis by different pathways than do other cytokine stimuli.
H. Hamada, R.T. Sawyer, L.A. Kittle, L.S. Newman (USA) 249–261
A comparison of hepatocyte cytotoxic mechanisms for Cu^{2+} and Cd^{2+}
Cytotoxicity is mediated by an oxidative attack
J. Pourahmad, P.J. O'Brien (Canada). 263–273
Arachidonic acid release and prostaglandin E_2 synthesis as irritant index of surfactants in 3T6 fibroblast cultures
An in vitro assay form membrane damage is proposed
J.J. Moreno (Spain) 275–282
Effects of vitamin E on dolichol content of rats acutely treated with 1,2-dichloroethane
Vitamin E ameliorates the oxidatively caused loss of dolichol
D. Cottalasso, A. Bellocchio, R. Norese, C. Domenicotti, M.A. Pronzato, L. Fontana, G. Nanni (Italy) . . 283–292

Auithor index of Volume 143 293
Subject index of Volume 143 295
Contents of Volume 143 299